


T150 R PIPE ARCH

Profile Geometry

Code	Span S	Rise R	Area	Periphery	Step X	Plates	Top		Corner		Base	
							Rt	αt	Rc	αc	Rb	αb
T150	m	m	m ²	m	m		mm		mm		mm	
R/01	1.88	1.43	2.12	5.25	0.72	4	956	149.89	510	84.26	1722	41.59
R/02	2.05	1.53	2.51	5.75	0.62	5	1027	167.37	510	84.26	2970	24.11
R/03	2.12	1.59	2.73	6.00	0.57	5	1062	175.36	510	84.26	4443	16.12
R/04	2.31	1.63	2.94	6.25	0.80	5	1190	144.48	510	84.26	2133	47.00
R/05	2.40	1.68	3.16	6.50	0.75	5	1219	152.73	510	84.26	2588	38.75
R/06	2.48	1.73	3.40	6.75	0.70	5	1249	160.55	510	84.26	3242	30.93
R/07	2.55	1.79	3.64	7.00	0.64	5	1279	167.97	510	84.26	4264	23.51
R/08	2.62	1.84	3.89	7.25	0.59	5	1310	175.00	510	84.26	6083	16.48
R/09	2.77	1.89	4.14	7.50	0.68	5	1391	164.77	510	84.26	4290	26.71
R/10	2.83	1.94	4.41	7.75	0.63	5	1419	171.57	510	84.26	5756	19.91
R/11	2.98	1.99	4.67	8.00	0.72	5	1505	161.85	510	84.26	4351	29.63
R/12	3.05	2.04	4.96	8.25	0.66	5	1531	168.44	510	84.26	5594	23.05
R/13	3.11	2.10	5.25	8.50	0.61	5	1558	174.71	510	84.26	7688	16.77
R/14	3.27	2.14	5.54	8.75	0.70	5	1644	165.55	510	84.26	5524	25.93
R/15	3.41	2.12	5.52	8.75	1.01	6	1807	134.76	510	84.26	3030	56.72
R/16	3.50	2.17	5.82	9.00	0.95	6	1821	141.59	510	84.26	3446	49.89
R/17	3.64	2.28	6.45	9.50	0.84	7	1855	154.42	510	84.26	4637	37.07
R/18	3.71	2.34	6.78	9.75	0.78	7	1875	160.43	510	84.26	5535	31.06
R/19	3.77	2.39	7.12	10.00	0.72	7	1896	166.19	510	84.26	6795	25.29
R/20	3.93	2.43	7.45	10.25	0.82	7	1993	158.14	510	84.26	5585	33.34
R/21	3.99	2.49	7.81	10.50	0.76	7	2012	163.74	510	84.26	6713	27.74
R/22	4.05	2.55	8.17	10.75	0.71	7	2033	169.12	510	84.26	8329	22.36
R/23	4.11	2.60	8.54	11.00	0.65	7	2055	174.29	510	84.26	10833	17.19
R/24	4.27	2.65	8.90	11.25	0.75	7	2148	166.71	510	84.26	8096	24.77
R/25	4.44	2.69	9.27	11.50	0.84	7	2247	159.33	510	84.26	6684	32.15
R/26	4.50	2.74	9.66	11.75	0.79	7	2265	164.45	510	84.26	7950	27.03
R/27	4.55	2.80	10.06	12.00	0.73	7	2283	169.38	510	84.26	9724	22.10
R/28	4.72	2.84	10.45	12.25	0.83	7	2382	162.34	510	84.26	7864	29.14
R/29	4.89	2.88	10.85	12.50	0.93	7	2488	155.47	510	84.26	6761	36.02
R/30	4.94	2.94	11.27	12.75	0.87	7	2501	160.35	510	84.26	7821	31.13
R/31	5.00	3.00	11.71	13.00	0.81	8	2517	165.06	510	84.26	9215	26.42
R/32	5.05	3.05	12.15	13.25	0.75	8	2534	169.60	510	84.26	11131	21.88
R/33	5.22	3.09	12.57	13.50	0.85	8	2635	163.08	510	84.26	9078	28.40
R/34	5.28	3.15	13.03	13.75	0.79	8	2650	167.53	510	84.26	10766	23.95
R/35	5.34	3.21	13.66	14.00	1.01	8	2705	158.86	760	94.24	18096	12.67



T150 R PIPE ARCH

Profile Geometry

Code	Span S	Rise R	Area	Periphery	Step X	Plates	Top		Corner		Base	
							Rt	α_t	Rc	α_c	Rb	α_b
T150	m	m	m ²	m	m		mm		mm		mm	
R/36	5.51	3.25	14.10	14.25	1.10	8	2810	152.93	760	94.24	13101	18.59
R/37	5.57	3.30	14.57	14.50	1.04	8	2825	157.17	760	94.24	16963	14.36
R/38	5.73	3.34	15.03	14.75	1.13	8	2933	151.40	760	94.24	12812	20.12
R/39	5.79	3.39	15.51	15.00	1.07	8	2947	155.55	760	94.24	16146	15.97
R/40	5.96	3.43	15.98	15.25	1.17	8	3057	149.93	760	94.24	12604	21.59
R/41	6.12	3.47	16.45	15.50	1.27	9	3174	144.41	760	94.24	10567	27.11
R/42	6.18	3.52	16.96	15.75	1.20	9	3183	148.53	760	94.24	12458	22.99
R/43	6.34	3.56	17.45	16.00	1.30	9	3302	143.14	760	94.24	10599	28.38